

Uniclass L8411	5				EPIC Q411
CI/SfB					
5+7	(72.6)	ı	Χ	1	

Issue 01.7 (US) | Apr 16


Technical data sheet - Alpha


Description

A durable and highly versatile plastic chair designed for use in stadia, multipurpose venues, schools and colleges.

Features

- Ergonomically designed, double skinned, blow molded plastic seat and backrest
- Comfort with good lumbar support
- Slim profile for safe and easy access
- Enclosed spring-tip mechanism for safety
- Durable pressed steel frame
- Ideal for use on TX platform systems
- Two year guarantee





Fixing methods

Tread fixed, riser fixed, beam mounted (tread or riser fixed), fold-down (for TX Telescopic Platforms) or matrix (for flat floor configurations).

Seat widths

17¾", 19¼", 20"

Finishes

Metal parts

Epoxy powder coat, matt black RAL 9005. Other colors available on speacial request, please consult Audience Systems for availability.

Seat and back mouldings

Refer to Alpha color card for standard selection. Other colors available on request.

Armrests

Black

Audience Systems Ltd reserves the right to change the design, specification or price of products without prior notice

Specification

Seat

Blow molded double skinned UV stabilized high density polyethylene. Exposed surfaces have textured finish.

Backrest

Blow molded double skinned UV stabilized high density polyethylene. Exposed surfaces have textured finish.

Chair frame

Fabricated steel construction with associated steel pressings for fixing seat and back.

Seat tip up mechanism

Heavy gauge steel pressing enclosing torsion spring. The seat pan automatically tips when not in use. Entire mechanism is housed in a protection cover for safety, preventing any possibility of finger entrapment.

Armrest

Optional armrest in blow molded double skinned UV stabilized high density polyethylene, color black.

Tube end plugs

Injection molded low density polyethylene.

Standards

Strength and stability

Tested and certified to BS EN 12727 (2000): Level 3

Flammability

The standard UV stabilized mouldings pass BS 5852 1990 (sources BS EN 1021-0 and BS EN 1021-1). Fire retardant polypropylene mouldings, which comply with BS 5852 pt 2 ignition source 5 are also available in certain colors at extra cost.

Options and accessories

- Seat numbers
- Aisle letters
- Armrests
- Cupholder